

EAST Search History

EAST Search History (Prior Art)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|--|------------------|---------|---------------------|
| L1 | 4 | (US-20050071342-\$ or US-20030140111-\$ or US-20020052769-\$). did. or (US-6789252-\$). did. | US-PGPUB; USPAT | AND | ON | 2010/01/05 14:13 |
| S122 | 1 | "20020138582".pn. and dynamic\$7 and run \$time | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/06/08 07:37 |
| S121 | 1 | "20020138582".pn. and (subscri\$7) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/06/08 07:32 |
| S120 | 1 | "20020138582".pn. and (send\$3 same definition) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/06/08 07:16 |
| S119 | 1 | "20020138582".pn. and (receiv\$3 same definition) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/06/08 07:16 |
| S118 | 1 | "20020138582".pn. and (object same (generat\$3 or creat \$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/06/08 07:13 |
| S117 | 1 | "20020138582".pn. and (object same definition) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/06/08 07:09 |
| S116 | 1 | "20020138582".pn. and (object with definition) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/06/08 07:09 |

| | | | | | | |
|------|---|---|--|-----|----|---------------------|
| S115 | 1 | "20020138582".pn. and ((processing or executing) same object) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/06/08 07:08 |
| S114 | 0 | "20020138582".pn. and ((processing or executing) same object same definition) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/06/08 07:08 |
| S113 | 1 | "20020138582".pn. and (object same definition) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/06/08 07:06 |
| S112 | 1 | "20020138582".pn. and ((stor\$3 with object)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/06/08 07:00 |
| S111 | 1 | "20020138582".pn. and ((creat\$3 or generat\$3) near2 (definition)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/06/08 06:58 |
| S110 | 1 | "20020138582".pn. and (definition same code) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/06/08 06:58 |
| S109 | 1 | "20020138582".pn. and (object same definition same code) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/06/08 06:57 |
| S108 | 1 | "20020138582".pn. and (object same definition) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/06/08 06:57 |
| S107 | 5 | ((receiv\$3 near2 object) and (receiv\$3 near2 code)) and (business adj object) and ((creat\$3 or generat\$3) near2 definition) and (stor\$3 with definition) and (code with definition) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/06/08 06:53 |

| | | | | | | |
|------|-------|--|--|-----|----|---------------------|
| S106 | 5 | ((receiv\$3 near2 object) and (receiv\$3 near2 code)) and (business adj object) and (determin\$3 with definition) and (stor\$3 with definition) and (code with definition) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/06/08 06:51 |
| S105 | 0 | ((receiv\$3 near2 object) same (receiv\$3 near2 code)) and (business adj object) and (determin\$3 with definition) and (stor\$3 with definition) and (code with definition) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/06/08 06:51 |
| S104 | 23 | ((receiv\$3 with object) same (receiv\$3 with code)) and (business adj object) and (determin\$3 with definition) and (stor\$3 with definition) and (code with definition) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/06/07 22:39 |
| S103 | 188 | ((receiv\$3 with object) same (receiv\$3 with code)) and (business adj object) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/06/07 22:38 |
| S102 | 0 | ((receiv\$3 with object) same (receiv\$3 with code)) and (business adj object]) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/06/07 22:38 |
| S101 | 12720 | (receiv\$3 with object) same (receiv\$3 with code) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/06/07 22:37 |
| S100 | 0 | (receiv\$3 with business with object with code) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/06/07 22:37 |
| S99 | 0 | (receiv\$3 with business with object with error with code) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/06/07 22:37 |

| | | | | | | |
|-----|----|---|--|-----|----|---------------------|
| S98 | 1 | (receiv\$3 with object with error with code) and (business with object) and (object with definition) and (discover\$3 with object) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/06/07 22:36 |
| S97 | 24 | (receiv\$3 with object with code) and (business with object) and (object with definition) and (discover\$3 with object) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/06/07 22:33 |
| S96 | 7 | (receiv\$3 with object with code) and (business with object) and (object with definition) and (discover\$3 with definition) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/06/07 22:32 |
| S95 | 5 | (receiv\$3 with object with code) and (business with object) and (object with definition) and (discover\$3 with definition) and adapter | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/06/07 22:31 |
| S94 | 2 | (receiv\$3 with object with code) and (business with object) and (object with definition) and (discover\$3 with definition) and (application with adapter) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/06/07 22:29 |
| S93 | 1 | (receiv\$3 with object with code) and (business with object) and (object with definition) and (discover\$3 near3 definition) and (application with adapter) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/06/07 22:29 |

| | | | | | | |
|-----|----|---|--|-----|----|------------------|
| S92 | 0 | (receiv\$3 with object with code) and (business with object) and (object with definition) and (determin\$3 with object with definition) and (applicaiton with adapter) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/06/07 22:28 |
| S91 | 0 | (receiv\$3 with object with code) and (business with object) and (object with definition) and (determin\$3 with object with definition) and (applicaiton adapter) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/06/07 22:28 |
| S90 | 1 | (receiv\$3 with object with code) and (business with object) and (object with definition) and (determin\$3 near3 definition) and (application with adapter) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/06/07 22:28 |
| S89 | 1 | (receiv\$3 with object with code) and (business with object) and (object with definition) and (determin\$3 with object with definition) and (application with adapter) and (determin\$3 near2 definition) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/06/07 22:27 |
| S88 | 18 | (receiv\$3 with object with code) and (business with object) and (object with definition) and (determin\$3 with object with definition) and (application with adapter) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/06/07 22:26 |
| S87 | 28 | (receiv\$3 with object with code) and (business with object) and (object with definition) and (determin\$3 with object with definition) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/06/07 22:23 |

| | | | | | | |
|-----|-------|--|--|-----|----|---------------------|
| S86 | 53 | (receiv\$3 with object with code) and (business with object) and (object with definition) and (determin\$3 with definition) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/06/07 22:11 |
| S85 | 213 | (receiv\$3 with object with code) and (business with object) and (object with definition) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2009/06/07 22:10 |
| S84 | 122 | (receiv\$3 with business with object) and (determin\$3 with definition) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/06/11 16:56 |
| S83 | 189 | (revers\$3 with discover \$3) and (discover\$3 with object) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/06/11 16:47 |
| S82 | 4282 | (revers\$3 with discover \$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/06/11 16:47 |
| S81 | 14 | ((data adj integrat\$3) or (business adj process adj integrat \$3)) and (discover\$3 with (map\$4 or objects)) and (generat \$3 with object with definition) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/06/11 16:32 |
| S80 | 141 | ((data adj integrat\$3) or (business adj process adj integrat \$3)) and (discover\$3 with (map\$4 or objects)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/06/11 16:29 |
| S79 | 13636 | ((data adj integrat\$3) or (business adj process adj integrat \$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/06/11 16:28 |
| S78 | 13636 | (data adj integrat\$3 or business adj process adj integrat\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/06/11 16:28 |

| | | | | | | |
|-----|----|--|--|-----|----|------------------|
| S77 | 75 | (object adj discovery) and ((object with definition) or (business adj object) or (java adj object)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/06/11 15:54 |
| S76 | 16 | (object adj discovery adj agent) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/06/11 15:54 |
| S75 | 16 | (object adj discovery adj agent) and ((object with definition) or (business adj object) or (java adj object)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/06/11 15:50 |
| S74 | 4 | ((creat\$3 or generat \$3) with java with objects) and (object adj discovery adj agent) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/06/11 15:47 |
| S73 | 0 | ((creat\$3 or generat \$3) near2 java near2 objects) and (object adj discovery adj agent) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/06/11 15:45 |
| S72 | 11 | (object adj definition) and (object adj discovery adj agent) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/06/11 15:40 |
| S71 | 15 | (discovery with definition) and (discov \$5 near2 objects) and (business with objects) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/06/11 14:54 |
| S70 | 2 | (revers\$3 near2 discovery) and (discov \$5 near2 objects) and (business with objects) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/06/11 14:54 |
| S69 | 0 | "7020697".pn. and (discover\$3 with object) and (business with object) and (revers \$3 with (discover\$3 or engineer\$3)) and broker and (receiv\$3 with code) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/06/11 14:50 |

| | | | | | | |
|-----|-----|--|--|-----|----|------------------|
| S68 | 0 | "7020697".pn. and (discover\$3 with object) and (business with object) and (revers \$3 with (discover\$3 or engineer\$3)) and broker and receiv\$3 with code | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/06/10 17:22 |
| S67 | 1 | "7020697".pn. and (discover\$3 with object) and (business with object) and (revers \$3 with (discover\$3 or engineer\$3)) and broker | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/06/10 17:22 |
| S66 | 3 | (discover\$3 with object) and (business with object) and (revers \$3 with (discover\$3 or engineer\$3)) and broker | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/06/10 17:18 |
| S65 | 29 | (discover\$3 with object) and (business with object) and (revers \$3 with (discover\$3 or engineer\$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/06/10 17:17 |
| S64 | 131 | (discover\$3 with object) and (business with object) and (revers \$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/06/10 17:17 |
| S63 | 2 | ((business with discover \$3 with object) same revers\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/06/10 17:15 |
| S62 | 1 | (reverse with business with discover\$3 with object) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/06/10 17:13 |
| S61 | 47 | (reverse with discover \$3 with object) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/06/10 17:13 |
| S60 | 2 | (reverse with discover \$3 with object) and (business adj object) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/06/10 17:13 |

| | | | | | | |
|-----|-------|---|--|-----|----|------------------|
| S59 | 1 | (receiv\$3 with object) and (reverse with discover\$3 with object) and (business adj object) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/06/10 17:13 |
| S58 | 1 | (receiv\$3 with object) and (receiv\$3 near2 code) and (reverse with discover\$3 with object) and (business adj object) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/06/10 17:12 |
| S57 | 7 | (receiv\$3 with object) and (receiv\$3 near2 code) and (discover\$3 with object) and (business adj object) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/06/10 17:11 |
| S56 | 44 | (receiv\$3 with object) and (receiv\$3 with code) and (discover\$3 with object) and (business adj object) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/06/10 17:09 |
| S55 | 10 | (receiv\$3 with object) and ((receiv\$3 with code) with (collaborat \$3 or cooperat\$3)) and (discover\$3 with object) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/06/10 17:06 |
| S54 | 342 | (receiv\$3 with object) and ((receiv\$3 with code) with (collaborat \$3 or cooperat\$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/06/10 17:05 |
| S53 | 949 | (receiv\$3 with object) and ((receiv\$3 with code) same (collaborat \$3 or cooperat\$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/06/10 17:05 |
| S52 | 71460 | (receiv\$3 with object) and ((receiv\$3 with code) same collaborat \$3 or cooperat\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/06/10 17:05 |
| S51 | 220 | 707/103Y.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/02/09 10:41 |

| | | | | | | |
|-----|------|---|--|-----|----|---------------------|
| S50 | 1583 | 707/103R.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/02/09 10:41 |
| S49 | 0 | 707/103.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/02/09 10:40 |
| S48 | 1 | (subscription) same adapter same (object adj definition) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/02/09 10:40 |
| S37 | 22 | (object adj2 definition) with (determin\$3 or discover\$3) and (business with object) and receiv\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/02/09 10:14 |
| S47 | 2 | "20050216282".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/02/08 16:13 |
| S30 | 16 | (chen with shyh-kwei). inv. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/02/08 16:12 |
| S46 | 4 | ((business adj2 object) same collaboration) same broker | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/02/07 14:51 |
| S45 | 10 | ((business adj2 object) same map\$4) same broker | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/02/07 14:49 |
| S44 | 506 | ((business adj2 object) same map\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/02/07 13:44 |
| S40 | 17 | ((collaboration with code) same map\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/02/07 13:44 |

| | | | | | | |
|-----|-----|---|--|-----|----|---------------------|
| S43 | 1 | "5913061".pn. and collaborat\$3 and map \$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/02/07 13:40 |
| S42 | 0 | "5913061".pn. and collaboration and mapping | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/02/07 13:40 |
| S41 | 2 | "5913061".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/02/07 13:40 |
| S39 | 492 | (collaboration same map\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/02/07 13:29 |
| S38 | 9 | (object same definition same business same adapter same map\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/02/07 13:29 |
| S36 | 0 | (object adj2 definition) with (determin\$3 or discover\$3) and (business with object) and receiv | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/02/07 12:52 |
| S34 | 263 | (object adj2 definition) with (determin\$3 or discover\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/02/07 12:52 |
| S35 | 4 | ((object adj2 definition) with (determin\$3 or discover \$3) with receiv\$3) and (business with object) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/02/07 12:51 |
| S33 | 1 | (chen with shyh-kwei). inv. and (object with definition) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/02/07 12:47 |
| S32 | 1 | (chen with shyh-kwei). inv. and discover | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/02/07 12:47 |

| | | | | | | |
|-----|---|--|--|-----|----|---------------------|
| S31 | 2 | (chen with shyh-kwei). inv. and collaboration | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2007/02/07 12:47 |
|-----|---|--|--|-----|----|---------------------|

1/5/2010 2:14:27 PM

C:\Documents and Settings\jjohnson14\My Documents\EAST\Workspaces\10808429.wsp